

# Material Safety Data Sheet

Page 1 of 3

Infosafe No.	Issue Date: JUNE 2012	Approved by RLAPOLYM
--------------	-----------------------	----------------------

**Product Name: HPM FLEXSEAL 2 PART LIQUID**

**Not classified as hazardous**

## 1. IDENTIFICATION OF THE MATERIAL AND SUPPLIER

<b>Product Name</b>	HPM FlexSeal 2 Part Liquid
<b>Product Code</b>	RL7190PartB
<b>Company Name</b>	RLA Polymers Pty Ltd – ABN 89 004 709 915)
<b>Address</b>	363 Wentworth Avenue, Pendle Hill NSW 2145 AUSTRALIA
<b>Tel/Fax</b>	Tel: (02) 9636 7444 Fax: (02) 8892 1128
<b>Recommended use</b>	2 Part Cement Based Waterproofing Membrane- Part B
<b>Other Information</b>	This MSDS summarises to the best of our knowledge, the health and safety hazard information of the product and how to safely handle and use the product in the work place.

## 2. HAZARD IDENTIFICATION

<b>Hazard Classification</b>	<b>This product is not hazardous according to the criteria of the ASCC.</b>
<b>Risk Phrase(s)</b>	Not Classified as hazardous
<b>Safety Phrase(s)</b>	Not Classified as Hazardous

## 3. COMPOSITION/INFORMATION ON INGREDIENTS

<b>Chemical Characterisation</b>	White Nonviscous Liquid															
<b>Information on</b>	<table><thead><tr><th><u>Name</u></th><th><u>CAS</u></th><th><u>Proportion</u></th></tr></thead><tbody><tr><td>Acrylic Copolymer</td><td>None Allocated</td><td>25-50%</td></tr><tr><td>Water</td><td>None Allocated</td><td>30-70%</td></tr><tr><td>Biocides</td><td>None Allocated</td><td>&lt;0.2%</td></tr><tr><td>Other Non Hazardous Ingredients</td><td></td><td>&lt;10 %</td></tr></tbody></table>	<u>Name</u>	<u>CAS</u>	<u>Proportion</u>	Acrylic Copolymer	None Allocated	25-50%	Water	None Allocated	30-70%	Biocides	None Allocated	<0.2%	Other Non Hazardous Ingredients		<10 %
<u>Name</u>	<u>CAS</u>	<u>Proportion</u>														
Acrylic Copolymer	None Allocated	25-50%														
Water	None Allocated	30-70%														
Biocides	None Allocated	<0.2%														
Other Non Hazardous Ingredients		<10 %														

## 4. FIRST AID MEASURES

<b>Swallowed</b>	Wash mouth and lips with water. DO NOT induce vomiting. Give water to dilute stomach contents. Seek medical attention if symptoms persist.
<b>Eye</b>	Rinse with plenty of water for at least 15 minutes.
<b>Skin</b>	Wash with tepid soapy water.
<b>Inhaled</b>	Remove from point of exposure to fresh air.
<b>Advice to Doctor</b>	Treat symptomatically.

## 5. FIRE FIGHTING MEASURES

<b>Specific Methods</b>	All extinguishing media can be used. Material will not ignite readily
-------------------------	---

## 6. ACCIDENTAL RELEASE MEASURES

<b>Spills and Disposal</b>	Clean up any spills as soon as possible. Shovel up and place in suitable container for disposal. Only dispose of at approved disposal sites. Follow local regulations.
<b>Environmental Precautions</b>	Notify authorities if product enters sewers or public waterways.

## 7. HANDLING AND STORAGE

<b>Handling and Storage</b>	Always use protective gloves and clothing when handling. Store in a cool dry place, undercover away from sunlight. Store away from oxidising agents and acids.
-----------------------------	--

# Material Safety Data Sheet

Infosafe No.	Issue Date: JUNE 2012	Approved by RLAPOLYM
--------------	-----------------------	----------------------

**Product Name:** HPM FLEXSEAL 2 PART LIQUID

**Not classified as hazardous**

## 8. EXPOSURE CONTROLS/PERSONAL PROTECTION

**Engineering Controls** Use with adequate ventilation

## 9. PHYSICAL AND CHEMICAL PROPERTIES

<b>Appearance</b>	White nonviscous Liquid.	<b>Form</b>	Liquid
<b>Specific Gravity</b>	approx. 1.0.	<b>pH</b>	8.5
<b>Solubility in Water</b>	soluble	<b>VOC</b>	<1g/L
<b>Flammability</b>	Not Flammable	<b>Boiling point</b>	>100C

## 10. STABILITY AND REACTIVITY

**Hazardous Decomposition Products** This product is water based and stable under most conditions  
On exposure to high temperature, may decompose, releasing toxic gasses.

## 11. TOXICOLOGICAL INFORMATION

**Ingestion** May cause abdominal discomfort, nausea and vomiting.  
**Eye** May cause soreness. A mild irritant  
**Skin** Repeated, prolonged contact may cause irritation to the skin.  
**Inhalation** Prolonged use in poor ventilation may cause irritation to the nasal passages.  
**Chronic Effects** No long term exposure symptoms are known.

## 12. ECOLOGICAL INFORMATION

**Ecological Information** No information available. Avoid contaminating drains and waterways

## 13. DISPOSAL CONSIDERATIONS

**Disposal Considerations** Clean up any spills as soon as possible. Shovel up and place in suitable container for disposal. Only dispose of at approved disposal sites. Follow local regulations.

## 14. TRANSPORT INFORMATION

**Storage and Transport** Not classified as dangerous. Transport in original packaging.

## 15. REGULATORY INFORMATION

<b>Product Name</b>	HPM FlexSeal 2 Part Liquid
<b>Proper Shipping Name</b>	None Allocated
<b>UN Number</b>	None Allocated
<b>DG Class</b>	None Allocated
<b>Packing Group</b>	None Allocated
<b>Hazchem Code</b>	None Allocated
<b>Poisons Schedule</b>	Not Scheduled
<b>Hazard Category</b>	Not Hazardous

# Material Safety Data Sheet

Page 3 of 3

Infosafe No.	Issue Date: JUNE 2012	Approved by RLAPOLYM
--------------	-----------------------	----------------------

**Product Name:**        **HPM FLEXSEAL 2 PART LIQUID**

**Not classified as hazardous**

---

## 16. OTHER INFORMATION

---

**Contact**            For further information contact the Technical Manager or General Manager at the Pendle Hill Plant, phone (02)9636 7444.

For after hours emergencies contact the Technical Manager phone (02)9548 1577 or 0417 815 376

**Last Change**        In case of poisoning call the Poison Information Centre, phone 131 126.  
Issued 26/6/2012

This MSDS summarises to the best of our knowledge the health and safety hazard information of the product and how to safely handle and use the product in the workplace. The information herein is given in good faith, but subject to the Trade Practices Act 1974, no warranty, expressed or implied, is made.

. . . End of MSDS. . .